



1. PRODUCT AND COMPANY IDENTIFICATION

Product Code: QS 106 CDN B
Product Name: Quik-Shield 106 CDN Resin (B)
Company Name: SWD URETHANE
 539 S. Drew St.
 Mesa, AZ 85210,
Web site address: www.swdurethane.com
Emergency Contact: CHEMTREC
 (800) 424-9300

2. HAZARDS IDENTIFICATION

Acute Toxicity: Oral, Category 4
Acute Toxicity: Skin, Category 5
Skin Corrosion/Irritation, Category 1A-1C
Serious Eye Damage/Eye Irritation, Category 2B



GHS Signal Word: **Danger**

GHS Hazard Phrases: H302 - Harmful if swallowed.
 H313 - May be harmful in contact with skin.
 H314 - Causes severe skin burns and eye damage.
 H320 - Causes eye irritation.
 H402 - Harmful to aquatic life.

GHS Precaution Phrases: P264 - Wash hands thoroughly after handling.
 P270 - Do not eat, drink or smoke when using this product.
 P273 - Avoid release to the environment.
 P280 - Wear protective gloves/protective clothing/eye protection/face protection.

GHS Response Phrases: P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell.
 P303+361+353 - IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
 P304+340 - IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
 P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+313 - If eye irritation persists, get medical advice/attention.
 P363 - Wash contaminated clothing before reuse.

GHS Storage and Disposal Phrases: P405 - Store locked up.

Inhalation: Causes respiratory tract irritation. Material is extremely destructive to the tissue of the mucous membranes and upper respiratory tract. Harmful if inhaled. Skin: May be harmful if absorbed through skin. May cause skin irritation.

Skin Contact: May be harmful if absorbed through the skin. Causes skin irritation. Causes skin burns. Causes burns. Skin Absorption: Toxic if absorbed through skin.

Eye Contact: Causes eye irritation. Causes eye burns. Causes burns.

Ingestion: Harmful if swallowed. Harmful if swallowed.

 Small intestine. Large intestine. Additional Information.



RTECS: QJ6950000

3. COMPOSITION/INFORMATION ON INGREDIENTS

CAS #	Hazardous Components (Chemical Name)	Concentration
NA	Halogenated Phosphate	40.0 -60.0 %
NA	Amine Catalyst	2.0 -10.0 %

4. FIRST AID MEASURES

Emergency and First Aid

Procedures:

In Case of Inhalation: If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician.

In Case of Skin Contact: Wash off with soap and plenty of water. Consult a physician. Take off contaminated clothing and shoes immediately. In case of skin contact, flush with copious amounts of water for at least 15 minutes. Call a physician.

In Case of Eye Contact: Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. Continue rinsing eyes during transport to hospital. In case of contact with eyes, flush with copious amounts of water for at least 15 minutes. Assure adequate flushing by separating the eyelids with fingers. Call a physician. In case of contact, immediately flush eyes with copious amounts of water for at least 15 minutes.

In Case of Ingestion: Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. Do NOT induce vomiting. If swallowed, wash out mouth with water provided person is conscious. Call a physician immediately.

Signs and Symptoms Of Exposure: To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Note to Physician: Consult a physician. Show this safety data sheet to the doctor in attendance. Move out of dangerous area.

5. FIRE FIGHTING MEASURES

Flash Pt: > 400.00 F

Explosive Limits: LEL: UEL:

Autoignition Pt:

Suitable Extinguishing Media: Use water spray, dry chemical, carbon dioxide, or alcohol-resistant foam. Suitable: For small (incipient) fires, use media such as "alcohol" foam, dry chemical, or carbon dioxide. For large fires, apply water from as far as possible.

Fire Fighting Instructions: Wear self contained breathing apparatus for fire fighting if necessary. Protective Equipment: Wear self-contained breathing apparatus and protective clothing to prevent contact with skin and eyes. Specific Hazard(s): Emits toxic fumes under fire conditions.

Flammable Properties and Hazards:

Hazardous Combustion Products:



6. ACCIDENTAL RELEASE MEASURES

Steps To Be Taken In Case Material Is Released Or Spilled:

Personal precautions.
Use personal protective equipment. Avoid breathing vapors, mist or gas. Ensure adequate ventilation.
Environmental precautions.
Do not let product enter drains.

Soak up with inert absorbent material and dispose of as hazardous waste. Keep in suitable, closed containers for disposal. Evacuate personnel to safe areas.
PROCEDURE TO BE FOLLOWED IN CASE OF LEAK OR SPILL. PROCEDURE(S) OF PERSONAL PRECAUTION(S)
Wear self-contained breathing apparatus, rubber boots, and heavy rubber gloves.
Methods for cleaning up.
Cover with dry lime or soda ash, pick up, keep in a closed container, and hold for waste disposal. Wear respirator, chemical safety goggles, rubber boots, and heavy rubber gloves.
Ventilate area and wash spill site after material pickup is complete.

7. HANDLING AND STORAGE

Precautions To Be Taken in Handling: Avoid inhalation of vapor or mist.
Normal measures for preventive fire protection. User Exposure: Avoid contact with eyes, skin, and clothing.

Precautions To Be Taken in Storing: Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Suitable: Keep away from heat and open flame. Store in a cool, dry place. Hygroscopic.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS #	Partial Chemical Name	OSHA TWA	ACGIH TWA	Other Limits
NA	Halogenated Phosphate			
NA	Amine Catalyst		TLV: 0.05 ppm STEL: 0.15 ppm	
Respiratory Equipment (Specify Type):	If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU). (EU). Hand: Compatible chemical-resistant gloves. is not required. Where protection is desired, use multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges.			
Eye Protection:	Face shield and safety glasses. Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Chemical safety goggles.			
Protective Gloves:	Handle with gloves. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands. Hand: Compatible chemical-resistant gloves. Eyes: Chemical safety goggles.			
Other Protective Clothing:	Choose body protection according to the amount and concentration of the dangerous substance at the work place. Complete suit protecting against chemicals.			
Engineering Controls (Ventilation etc.):	Use only in a chemical fume hood. Safety shower and eye bath. Mechanical exhaust required.			
Work/Hygienic/Maintenance Practices:	Handle in accordance with good industrial hygiene and safety practice. Wash hands before breaks and at the end of workday. Wash contaminated clothing before reuse. Discard contaminated shoes. Wash thoroughly after handling.			



11. TOXICOLOGICAL INFORMATION

Toxicological Information: CAS# NA:
Skin corrosion/irritation, Skin sensitization, This product does not contain any relevant quantities of materials with critical values that have to be monitored in the workplace., Rabbit, 0.000 , Mild.
Results:
Sense Organs and Special Senses (Nose, Eye, Ear, and Taste):Eye:Lacrimation.
Behavioral: Tremor.
Lungs, Thorax, or Respiration:Cyanosis.

Irritation or Corrosion: Skin - rabbit - Mild skin irritation - 24 h.
Serious eye damage/eye irritation:
Skin - rabbit - Corrosive.
Eyes - rabbit - Severe eye irritation.

Carcinogenicity/Other Information: Carcinogenicity.
IARC: No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.
ACGIH: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by ACGIH.
NTP: No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.
OSHA: No component of this product present at levels greater than or equal to 0.1% is identified as a carcinogen or potential carcinogen by OSHA.

CAS #	Hazardous Components (Chemical Name)	NTP	IARC	ACGIH	OSHA
NA	Halogenated Phosphate				
NA	Amine Catalyst				

12. ECOLOGICAL INFORMATION

Persistence and Degradability: No data available.
Biodegradability:

Bioaccumulative Potential: No data available.

Mobility in Soil: No data available.

13. DISPOSAL CONSIDERATIONS

Waste Disposal Method: Product.
Observe all federal, state, and local environmental regulations. Contact a licensed professional waste disposal service to dispose of this material.

Contaminated packaging.
Dispose of as unused product. Offer surplus and non-recyclable solutions to a licensed disposal company. APPROPRIATE METHOD OF DISPOSAL OF SUBSTANCE OR PREPARATION. This combustible material may be burned in a chemical incinerator equipped with an afterburner and scrubber.

14. TRANSPORT INFORMATION

GHS Classification: Acute Toxicity: Oral, Category 4 - Warning! Harmful if swallowed
Acute Toxicity: Skin, Category 5 - Warning! May be harmful in contact with skin
Skin Corrosion/Irritation, Category 1A-1C - Danger! Causes severe skin burns and eye damage
Serious Eye Damage/Eye Irritation, Category 2B - Warning! Causes eye irritation



SAFETY DATA SHEET

Quik-Shield 106 CDN Resin (B)

LAND TRANSPORT (US DOT):

DOT Proper Shipping Name: Not Regulated.

DOT Hazard Class:

UN/NA Number:

LAND TRANSPORT (Canadian TDG):

TDG Shipping Name: Not Regulated.

UN Number:

Hazard Class:

TDG Classification:

LAND TRANSPORT (European ADR/RID):

ADR/RID Shipping Name: Not dangerous goods.

UN Number:

Hazard Class:

MARINE TRANSPORT (IMDG/IMO):

IMDG/IMO Shipping Name: Not Regulated.

AIR TRANSPORT (ICAO/IATA):

ICAO/IATA Shipping Name: Not Regulated.

15. REGULATORY INFORMATION**EPA SARA (Superfund Amendments and Reauthorization Act of 1986) Lists**

CAS #	Hazardous Components (Chemical Name)	S. 302 (EHS)	S. 304 RQ	S. 313 (TRI)
NA	Halogenated Phosphate	No	No	No
NA	Amine Catalyst	No	No	No

CAS # Hazardous Components (Chemical Name)**Other US EPA or State Lists**

NA	Halogenated Phosphate	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory, 8D TERM; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: No
NA	Amine Catalyst	CAA HAP,ODC: No; CWA NPDES: No; TSCA: Yes - Inventory; CA PROP.65: No; CA TAC, Title 8: No; MA Oil/HazMat: No; MI CMR, Part 5: No; NC TAP: No; NJ EHS: No; NY Part 597: No; PA HSL: No; SC TAP: No; WI Air: Yes

CAS # Hazardous Components (Chemical Name)**International Regulatory Lists**

NA	Halogenated Phosphate	Canadian DSL: Yes; Canadian NDSL: No
NA	Amine Catalyst	Canadian DSL: Yes; Canadian NDSL: No

Regulatory Information: This product contains no chemicals subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 40 CFR part 372.



16. OTHER INFORMATION

Revision Date: 04/23/2018

**Additional Information About
This Product:**

**Company Policy or
Disclaimer:**

While the information and recommendations in this publication are given to the best of our knowledge, and information at the date of publication, nothing herein is to be construed as a warranty, expressed or otherwise. In all cases, it is the responsibility of the user to determine the applicability of such information, and recommendations or the suitability of any product for its own particular purpose.

The product may present hazards and should be used with caution. While certain hazards are described in this Safety Data Sheet, no guarantee is made that these are the only hazards that exist. Hazards, toxicity and behavior of the products may differ when used with other materials and are dependent upon the manufacturing circumstances or other processes. Such hazards, toxicity and behavior should be determined by the user and made known to handlers, processors and end users.

NO PERSON OR ORGANIZATION EXCEPT A DULY AUTHORIZED SWD EMPLOYEE SHALL PROVIDE, OR MAKE AVAILABLE, DATA SHEETS FOR SWD PRODUCTS. DATA SHEETS FROM UNAUTHORIZED SOURCES MAY CONTAIN INFORMATION THAT IS NO LONGER CURRENT OR ACCURATE. NO PART OF THIS DATA SHEET MAY BE REPRODUCED OR TRANSMITTED IN ANY FORM, OR BY ANY MEANS, WITHOUT THE WRITTEN PERMISSION OF SWD. ALL REQUESTS FOR PERMISSION TO REPRODUCE MATERIAL FROM THIS DATA SHEET OR QUESTIONS REGARDING THIS DATA SHEET SHOULD BE DIRECTED TO SWD AT 800-828-1394.